# arcas



**CATALOGUE 2015** 

# The brand **areas**°



High level of expertise in the field of mobile energy and mobile light



Wide range of innovative and quality products



Flexible solutions and competitive prices



Delivery to the wholesale, retail and industrial











# mobile energy & mobile light

#### Mobile Lights

- 5 LED Torches
- 8 LED Multifunction Lights
- 9 LED Headlights
- 11 LED Keychains
- 12 Classic Torches
- 12 Working Lights
- 12 LED Stripes
- 13 LED Flood Lights
- 14 LED Special Lights
- 14 LED Camping Lights

#### Charging Technology

- 16 Ni-MH rechargeable Batteries
- 17 Charger

#### Batteries

- 19 Lithium Buttoncells
- 19 Alkaline Buttoncells
- 21 Digi-Alkaline Batteries
- 21 Battery Warning
- 22 Alkaline Batteries
- 24 Zinc-Carbon Batteries

#### LED-Lights

- 27 LED Tubes
- 28 LED Lamps
- 29 Environment Regulations

#### Housing Technology

- 31 Sockets
- 32 Extension Cables
- 33 Adapter
- 34 Digital Timer
- 35 Switches + Wall Sockets

# **Mobile Lights**

# mobile energy & mobile light



- LED Multifunction Lights
- Classic Torches
- LED Headlights
- LED Special Lights
- LED Camping Lights



#### 9 LED-Aluminium-Torch

- Less energy consumption than usual torches
- extensive LED life time (up to 100.000 hours)
- available in black or silver incl. 3x R03 AAA batteries

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00006

4260030259335

30

120

#### 12 LED-Torch Camouflage

- Good illumination
- extra lights aluminium design
- extensive LED life time (up to 100.000 hours) incl. 3x R03 AAA batteries

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00010

4260030258420

30

120

#### 28 LED-Aluminium-Torch

- Less energy consumption than usual torches
- extensive LED life time (up to 100.000 hours)
- available in black or silver
- 3 lighting modes

incl. 3x R03 AAA batteries





EAN-Code 4260030259236 Qty. inner box 15

Qty. outer box





#### **LED-Torches**



#### 45 LED-Aluminum-Torch

- Less energy consumption than usual torches
- extensive LED life time (up to 100.000 hours).
- 3 lighting modes
- available in black or silver

incl. 4x R03 AAA batteries

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00007

4260030259311

15

60

#### 1 Watt LED-Zoom-Torch

- High-Power-LED, 70 lumens, with zoom

- shockproofed, available in black

incl. 3x R03 AAA batteries



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00020

4260030255603

30

120

#### 3 Watt LED-Zoom-Aluminium-Torch



- adjustable focussing
- luminous range 150m
- available in metallic anthracite incl. 3x LR03 AAA batteries



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00015

4260030255399

10



#### 5 Watt LED-Aluminium-Torch

- High-Power-CREE-LED, 200 lumens
- luminous range 200m
- shockproofed
- available in black

for 3x R14 C batteries (not included)



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00016

4260030255405

10

40

#### 7+5 LED Torch

- 5 lateral LED and 7 frontside LED
- fold-out light
- with carrying loop
- available in blue, red

incl. 3x R6 AA batteries



Article-No.

EAN-Code

Qty. inner box

10

Qty. outer box

307 00026

4260030255627

60

#### 3 LED rechargeable Torch

- Eco friendly Ni-MH rechargeable battery
- 300mAh, 230V
- charging time 20hrs. lighting time 6hrs.
- 90° swivel
- available in white



Article-No. **307 00023** 

EAN-Code

4260030258475

Qty. inner box

Qty. outer box


10



areas

# **LED Multifunction Lights**

# 24 LED Light



- with swivel hook and magnet on the back for hanging

– extensive LED life time (up to 100.000 hours)

for 3x R6 AA batteries



EAN-Code

Qty. inner box

Qty. outer box

307 00017

4260030255580

12

48

#### 24 +1 Watt LED Light

- 24 LED lateral and 1 watt LED on front as torch

- with magnet and loop

– extensive LED life time (up to 100.000 hours)

for 4x R03 AAA batteries



Article-No.

EAN-Code

Qty. inner box

Qty. outer box


307 00018

4260030255573

12

48

#### 24 + 4 LED Light



- extensive LED life time (up to 100.000 hours)

- with fold-out swivel hook for hanging and a magnet on the back for  $3x\ RO3\ AAA\ Batteries$ 



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00019

4260030255566

12



#### 5 LED-Micro Headlight

- Less energy consumption than usual torches
- extensive LED life time (up to 100.000 hours)
- waterproof, weight only 42g incl. 2x Lithium CR2032 batteries

Qty. outer box Article-No. EAN-Code Qty. inner box 25 100 307 10002 4260030259304

#### 5 LED Headlight

- Less energy consumption than usual torches
- extensive LED life time (up to 100.000 hours)
- 3 lighting modes incl. 3x R03 AAA batteries

EAN-Code Qty. inner box Qty. outer box Article-No. 307 10003 100 4260030259359 25

#### 9 LED Headlight

- Less energy consumption than usual torches
- extensive LED life time (up to 100.000 hours)
- 4 lighting modes

incl. 3x R03 AAA batteries





Article-No. 307 10004 EAN-Code

4260030259366

Qty. inner box

25

100

Qty. outer box



# **LED Headlights**





- extensive LED life time (up to 100.000 hours)
- 4 lighting modes

incl. 3x R03 AAA batteries



EAN-Code

Qty. inner box

Qty. outer box

307 10005

4260030259229

25

100

#### 25 LED Headlight

- Less energy consumption than usual torches
- extensive LED life time (up to 100.000 hours)
- 4 lighting modes

incl. 3x R03 AAA batteries



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 10006

4260030259205

25

100

# 28 LED Headlight

- Less energy consumption than usual torches
- extensive LED life time (up to 100.000 hours)
- 4 lighting modes

incl. 3x R03 AAA batteries



Article-No. **307 10007** 

EAN-Code

4260030255528

Qty. inner box

25

Qty. outer box



#### 1 LED Keychain, rectangle

- Extensive LED life time (up to 100.000 hours)
- available in colours red, blue, black incl. buttoncell

Article-No. EAN-Code

307 00008

4260030259625

Qty. inner box Qty. outer box

240 24

#### 1 LED Keychain, ellipse

- Extensive LED life time (up to 100.000 hours)

- available in colours red, blue, black incl. buttoncell

Article-No. EAN-Code

307 00025 4260030259571 Qty. inner box Qty. outer box

24

240

# 3 LED Keychain

- Extensive LED life time (up to 100.000 hours)
- with solid keyring
- available in colours red, blue, black and silver incl. 3x LR44 buttoncell

EAN-Code

4260030259250

Qty. inner box Qty. outer box 240 24







Article-No.



# **Mobile Lights**



arcas

#### **Classic Torch**

- With longlife bulb
- available in red, yellow, blue, black for 2x R6 AA batteries (not included)

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 50001

4260030259175

30

60

# Workinglight

# **60 LED Battery Workinglight**

- Suitable for many applications of car, boat, camping mechanical repairs or emergency, with hanging hook
- water-, oil- and shock resistant
- on/off-switch
- size: 42cm lenght, 5,5cm diameter

incl. 4x R6 AA batteries

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00022

4260030258383

6

12

# **LED-Stripes**

# 5m LED Stripes with 150 LED



- 35W, 150 LED, DC 12V
- Adapter: Input: AC 100-240V, 50/60Hz
- Output: 12V max. 3A
- IP65 protected against rain
- 15 programmed colours and free choice of colours, white light possible



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 40002

4260030255306

10



#### 8W LED Flood Light, rechargeable

- 20 SMD-chips with 600 lumens, 6500-7000K
- high quality aluminium housing with non-slip grip
- built-in rechargeable battery 3.7V, 2400mAh
- charging time: app. 6 hours, operating time app. 3 hours
- splash proof, dirt resistant ( IP44)
- tilt angle adjustable
- Accessories: AC-adapter, car adapter and cable for USB



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00028

4260030255221

4

8

#### 10W LED Flood Light, rechargeable

- LED-chip with 800 lumens, 6500-7000K
- high quality aluminium housing with non-slip grip
- built-in rechargeable battery 7.4V, 4000mAh
- charging time: app. 5 hours, operating time app. 3.5 hours
- splash proof, dirt resistant ( IP44)
- tilt angle adjustable
- Accessories: AC adapter, car adapter



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00029

4260030255214

8

#### 20W LED Flood Light, rechargeable

- LED-Chip with 1600 lumens, 6500-7000K
- high quality aluminium housing with non-slip grip
- built-in rechargeable battery 7.4V, 8000mAh
- charging time: app. 10 hours, operating time app. 3.5 hours
- splash proof, dirt resistant (IP44)
- tilt angle adjustable
- Accessories: AC adapter, car adapter



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 00030

4260030255207

2



# **LED-Special Lights**



#### 3 LED Cliplight

- Rotating and swiveling LED-lamp
- LED lifetime up to 100 000 hours
- Ideal light for travel and home incl. 3x LR44 buttoncells

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 40005

4260030258345

24

96



Ideal light for bike, jogging, camping

multifunctional rear light and fittings incl. 6x R03 AAA batteries

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 30002

4260030258468

10

40



#### 2x 2 LED Mobile Light Set

- Ideal light for bike, jogging, camping
- easy fastening, flexible silicon body
- with 3 lighting modes
- in set white and red

incl. 2x 2 CR2032 Lithium cells

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

307 40003

4260030258512

24

240

#### 36 LED Lantern

- Super bright and portable LED light for walking, camping and travelling
- LED lifetime up to 100.000 hours
- useful 2 modes (18/36)
- compass & hook included
- 25cm height, 13cm Ø

operated by 4x R20 D batteries (not included)



Article-No. **307 20004** 

EAN-Code

4260030255467

Qty. inner box

Qty. outer box

6



# **Charging Technology**

# mobile energy & mobile light



- Rechargeable Batteries
- Charger



# Rechargeable Batteries



areas

#### **Ni-MH HR6 AA 800 1,2V**

- Capacity 800mAh
- is suitable for solar garden lighting or cordless phones
- able to quick charge
  available as 2 pcs blistercard



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

177 08206

4260030254781

12

144



- Capacity 2700mAh
- high power density, able to quick charge available as 4 pcs blistercard



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

177 27406

4260030254828

12

144

#### **Ni-MH HR03 AAA 600 1,2V**

- Capacity 600mAh
- is suitable for solar garden lighting or cordless phones available as 2 pcs blistercard



Article-No.

EAN-Code

Qty. inner box

Qty. outer box


177 06203

4260030254798

12

144

#### Ni-MH HR03 AAA 1100 1,2V



 high power density, able to quick charge available as 4 pcs blistercard



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

177 11403

4260030254835

12

144



areas



#### 4 Channel Charger

- Independent channels, charges 1-4 AA/AAA rechargeable batteries
- for NI-MH or NI-CD rechargeable batteries
- Input: AC 230V, 50-60Hz, 2W, Output: 120mAh
- colour: black

without rechargeable batteries



Article-No. EAN-Code Qty. inner box Qty. outer box

207 02009 4260030255481 10 20

#### 4 Channel Charger with Rechargeable Batteries

- Independent channels, charges 1-4 AA/AAA rechargeable batteries
- for NI-MH or NI-CD rechargeable batteries
- Input: AC 230V, 50-60Hz, 2W, Output: 120mAh
- colour: black

incl. 4x rechargeables Ni-Mh HR6 2700, 1.2V



Article-No. EAN-Code Qty. inner box Qty. outer box

207 22009 4260030255450 10 20





# **Batteries**

# mobile energy & mobile light



- Lithium Buttoncells
- Alkaline Buttoncells
- Alkaline Batteries
- Zinc-Carbon Batteries



#### **CR2032 3V Lithium Buttoncells**

- Provide reliable power for small electronic devices
- e.g. car keys, calculators, mainboards etc.available as 5 pcs blistercard

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

137 05032

4260030254408

30

360





#### AG4/LR66 Alkaline Buttoncells 1,5V

- Replaces LR626, LR66, 177, 377
- provide reliable power for small electronic devices available as 10 pcs blistercard



EAN-Code

Qty. inner box

Qty. outer box

127 01004

4260030253784

20

360





#### AG13/LR44 Alkaline Buttoncells 1,5V

- Replaces LR44, A76, 357
- provide reliable power for small electronic devices available as 10 pcs blistercard



EAN-Code

Qty. inner box

Qty. outer box

127 01013

4260030253845

20



#### Buttoncells





# 20x Sarcas Suttoness Duttoness Dutoness Dutoness





#### **Buttoncell assortment, 10pcs/pack**

Alkaline, 1.5V2x LR621/AG1, 2x LR41/AG3, 2x LR626/AG42x LR1130/AG10, 2x LR44/AG13specially suitable for watches, calculators, cameras etc.

Article-No. EAN-Code Qty. inner box Qty. outer box

127 91000 4260030253715 50 200

#### Buttoncell assortment, 20pcs/pack

Alkaline, 1.5V
 4x LR621/AG1, 4x LR41/AG3, 4x LR626/AG4
 4x LR1130/AG10, 4x LR44/AG13
 specially suitable for watches, calculators, cameras etc.

Article-No. EAN-Code Qty. inner box Qty. outer box

127 92000 4260030253722 50 200

#### Buttoncell assortment, 40pcs/pack

Alkaline, 1.5V
 8x LR621/AG1, 8x LR41/AG3, 8x LR626/AG4
 4x LR754/AG5, 4x LR43/AG12, 8x LR44/AG13
 specially suitable for watches, calculators, cameras etc.

Article-No. EAN-Code Qty. inner box Qty. outer box

127 94000 4260030253739 25 100

#### Buttoncell assortment, 24pcs/pack

Alkaline, 1,5V
 2 x LR621/AG1, 2 x LR41/AG3, 2 x LR626/AG4, 2 x LR754/AG5
 2 x LR55/AG8, 2 x LR54/AG10, 2 x LR43/AG12, 2 x LR44/AG13

– Lithium 3.0V:

2 x CR1620, 2 x CR2016, 2 x CR2025, 2 x CR2032 specially suitable for watches, calculators, cameras etc.

Article-No. EAN-Code Qty. inner box Qty. outer box 127 92400 4260030253746 20 200



#### Digi-Alkaline LR03 AAA 1,5V

- Especially for digital applications and devices with
- extremely high power demand (higher drain)
- -0% Cadmium, 0% Mercury
- long lasting

available as 4 pcs blistercard



Article-No.

EAN-Code

Qty. inner box

117 20403

4260030254118

12

144

#### Digi-Alkaline LR6 AA 1,5V

- Especially for digital applications and devices with
- extremely high power demand (higher drain)
- -0% Cadmium, 0% Mercury
- long lasting

available as 4 pcs blistercard







Article-No.

EAN-Code

Qty. inner box

Qty. outer box

117 20406

4260030254101

12

144

#### **Battery notes**



not recharge



not

swallow



short circuit



observe correct polarity





not

disassamble



Keep away from small children unequally loaded-

**batteries** 



different types



smash

For normal storage, the temperature should be between +10° C and +25° C and +30° C never exceed. Extreme values of relative humidity (above 95% and below 40% relative humidity) for a long time must be avoided. Batteries should not be stored near radiators and boilers, even in direct sunlight.

It is advantageous to remove the batteries from a device that does not work satisfactorily or if it is not in use for long periods (eg, film camera, flash, etc.).

All batteries should be replaced at the same time. Newly purchased batteries should not be mixed with partially discharged batteries. Batteries of different electrochemical systems, grades and trademarks should not be mixed.

#### **For Batteries**

Batteries must be disposed properly.

The retail and communities provide appropriate container for disposal.





#### Alkaline Batteries



areas

#### Alkaline LR03 AAA 1,5V

- 0% Cadmium, 0% Mercury
- long lasting available as 4 pcs blistercard



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

117 00403

4260030254033

12

144

#### Alkaline LR03 AAA 1,5V

- 0% Cadmium, 0% Mercury
- long lasting
- available as 4+4 pcs blistercard





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

117 44803

4260030254040

12

72

#### Alkaline LR6 AA 1,5V



- 0% Cadmium, 0% Mercury
- long lasting
- available as 4 pcs blistercard



Article-No.

EAN-Code

Qty. inner box

Qty. outer box


117 00406

4260030254064

12

144

#### Alkaline LR6 AA 1,5V



available as 4+4 pcs blistercard





Article-No.

86,2 %

EAN-Code

Qty. inner box

Qty. outer box

117 44806

4260030254071

12



#### Alkaline LR14 C 1,5V

- -0% Cadmium, 0% Mercury
- long lasting

available as 2 pcs blistercard





Article-No. EA

EAN-Code

Qty. inner box

Qty. outer box

117 00214

4260030254149

6

96

#### Alkaline LR20 D 1,5V

-0% Cadmium, 0% Mercury

long lasting

available as 2 pcs blistercard





Article-No. EAN-Code

Qty. inner box

6

Qty. outer box

117 00220

4260030254156

48

#### **Alkaline 6LF22 9 Volt**

– For applications requiring high performance such as:

- Remote controls, toys, radios, translation devices and many other devices
- 0% Cadmium, 0% Mercury, long lasting available as 1 pcs blistercard





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

117 00122

4260030254163

12



#### Zinc-Carbon-Batteries

#### Super Heavy Duty R03 AAA 1,5V

- 0% Cadmium, 0% Mercury available as 4 pcs blistercard



Article-No.

107 00403

EAN-Code

Qty. inner box

12

Qty. outer box 288

#### Super Heavy Duty R03 AAA 1,5V

4260030254309

- 0% Cadmium, 0% Mercury available as 8 pcs blistercard





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

107 00803

4260030254293

12

72

#### Super Heavy Duty R6 AA 1,5V

- 0% Cadmium, 0% Mercury available as 4 pcs blistercard





areas

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

107 00406

4260030254316

12

240

#### Super Heavy Duty R6 AA 1,5 V

- 0% Cadmium, 0% Mercury available as 8 pcs blistercard





areas

Article-No.

107 00806

EAN-Code

4260030254323

Qty. inner box

12

Qty. outer box



# Super Heavy Duty R14 C 1,5V

– 0% Cadmium, 0% Mercury available as 4 pcs blistercard





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

107 00414

4260030254248

6

54

#### Super Heavy Duty R20 D 1,5V

– 0% Cadmium, 0% Mercury available as 2 pcs blistercard



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

107 00220

4260030254217

72



#### **Super Heavy Duty 6F22 9 Volt**

- 0% Cadmium, 0% Mercury available as 1 pc blistercard



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

107 00122

4260030254262

12

240



areas

#### Super Heavy Duty 4R25 6V

– 0% Cadmium, 0% Mercury available as 1pc Shrink



EAN-Code

Qty. inner box

Qty. outer box

107 00125

4260030254194

6



# **LED-Lights**

# mobile energy & mobile light



- LED-Tubes
- LED Lamps



#### T8 LED Tube 10W, 60cm

- G13, 950 lumens, 6500K daylight, oneway connect
- light efficiency 95lm/W, rotating cap
- energy efficiency class A+
- beam angle: 120°, cover: frosted
- starter included



Article-No. EAN-Code Qty. inner box Qty. outer box

4260030251575 5 30 397 50001

#### **T8 LED Tube 21W, 120cm**

- G13, 2100 lumens, 6500K daylight, oneway connect
- light efficiency 100lm/W, rotating cap
- energy efficiency cLass A+
- beam angle: 120°, cover: frosted
- starter included



EAN-Code Article-No. Qty. inner box Qty. outer box

397 50002 4260030251582 5 30

#### **T8 LED Tube 24W, 150cm**

- G13, 2500 lumens, 6500K daylight, oneway connect
- light efficiency 104lm/W, rotating cap
- energy efficiency cLass A+
- beam angle: 120°, cover: clear
- starter included




EAN-Code Article-No. Qty. inner box Qty. outer box 30



# **LED Saving Lamps**

#### 3,5W LED Candle E14



- 220-240V 50Hz 34mA , 180º beam angle
- Size 38x 103mm
- 4000 kelvin, 314 lumens
- 220-240V 50Hz 34mA, 180° beam angle
- Size 38x 103mm







warm white

neutral white

Article-No.

Article-No.

397 00203

397 00204

EAN-Code

EAN-Code

4260030250295

4260030250288

Qty. inner box

25


Qty. outer box 50

Qty. inner box

Qty. outer box 50

25

#### **6W LED Candle E14**



4000 kelvin, 470 lumens, 220-240V 50Hz 52mA, 230° beam angle Size 36x 103 mm





warm white

arcas

neutral white

Article-No. 397 00206 EAN-Code 4260030250325

Qty. outer box 50

Article-No.

EAN-Code

Qty. inner box

25

Qty. inner box

Qty. outer box

397 00205

4260030250332 25 50


#### **4W LED Globe E27**

A55 Globe, 3000 kelvin, 324 lumens 220-240V 50Hz 35mA, 180° beam angle Size 54,5x 101mm

A55 Globe 4000 kelvin, 362 lumens 220-240V 50Hz 35mA, 180° beam angle Size 54,5x 101mm







LED Lampe

warm white

neutral white

Article-No. <b>397 20002</b>	EAN-Code <b>4260030250301</b>	Qty. inner box <b>25</b>	Qty. outer box <b>50</b>
Article-No. <b>397 20001</b>	EAN-Code <b>4260030250318</b>	Qty. inner box <b>25</b>	Qty. outer box <b>50</b>



#### 8W LED Globe E27

8 watt A60 Globe, 3000 kelvin, 650 lumens 220-240V 50Hz 70mA ,  $300^{\circ}$  beam angle Size  $60x\ 109$ mm

8 watt A60 Globe 4000 kelvin, 650 lumens 220-240V 50Hz 70mA ,  $300^{\circ}$  beam angle Size 60x 109mm





				_
Article-No. <b>397 20007</b>	EAN-Code <b>4260030250349</b>	Qty. inner box <b>25</b>	Qty. outer box <b>50</b>	warm white
Article-No. <b>397 20008</b>	EAN-Code <b>4260030250356</b>	Qty. inner box <b>25</b>	Qty. outer box <b>50</b>	neutral white



#### 10W LED Globe E27

10 watt A60 Globe, 3000 kelvin, 810 lumens 220-240V 50Hz 87mA ,  $300^{\rm o}$  beam angle Size 60x 109mm

10 watt A60 Globe 4000 kelvin, 810 lumens 220-240V 50Hz 87mA ,  $300^{\circ}$  beam angle Size 60x 109mm





Article-No.	EAN-Code	Qty. inner box	Qty. outer box
397 20009	4260030250363	25	50 warm white
Article-No. <b>397 20010</b>	EAN-Code <b>4260030250370</b>	Qty. inner box <b>25</b>	Qty. outer box neutral white







#### **Environmental Regulations**

All products by Arcas meet current EU directives. The Green Dot reflects the desire again, to contribute to environmental protection. Arcas products are regularly controlled by public testing institutes on environmental and certified with current test certificates. These can be requested if required.



Rohs Certificate =  $\mathbf{R}$ estriction  $\mathbf{o}$ f (the use of certain )  $\mathbf{H}$ azardous  $\mathbf{S}$ ubstances

The RoHS directive 2002/95/EG restricts (with exceptions) the use of six hazardous materials in the manufacture of various types of electronic and electrical equipment.



# **Housing Technology**

# mobile energy & mobile light



- Extension cables
- Adapter
- Digital timer
- Switches + wall sockets



#### 3-way Socket

- With switch, colour: white

- 1,5m connection cable

- maximum percentage rate: 3500 watt, 16A, AC 230V

- cross sectional area: 1,5mm<sup>2</sup>

- incl. child protection



Article-No. EAN-Code

Qty. inner box

25

Qty. outer box

927 00003A 4260030258673

50

#### 5-way Socket

- With switch, colour: white

– 1,5m connection cable

- maximum percentage rate: 3500 watt, 16A, AC 230V

- cross sectional area: 1,5mm²

- incl. child protection



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

927 00005

4260030258680

25

50

#### 7-way Socket

- 3-way Schuko + 4-way euro socket with switch,

- colour: white

- 1,5m connection cable, cross sectional area: 1,5mm<sup>2</sup>

- maximum percentage rate: 3500 watt, 16A, AC 230V

– incl. child protection



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

927 00007

4260030258703

10

20

#### 8-way Socket

- 4-way Schuko + 4-way euro socket with switch

- colour: white

- 1,5m connection cable, cross sectional area: 1,5mm<sup>2</sup>

- maximum percentage rate: 3500 watt, 16A, AC 230V

- incl. child protection



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

927 00008

4260030258697

15





#### **Extension Cables**



#### **3m Extension Cable**

- Colour white
- lenght: 3m, cross sectional area: 1,5mm<sup>2</sup>
- maximum percentage rate: 3500 watt, 16A, AC 230V
- incl. child protection



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

937 00003

4260030259861

10

20



- Colour white
- lenght: 5m, cross sectional area: 1,5mm<sup>2</sup>
- maximum percentage rate: 3500 watt, 16A, AC 230V
- incl. child protection



Article-No.

EAN-Code

Qty. inner box

Qty. outer box

937 00005

4260030259878

10

20

# 10m Extension Cable



- lenght: 10m, cross sectional area: 1,5mm<sup>2</sup>
- maximum percentage rate: 3500 watt, 16A, AC 230V
- incl. child protection





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

937 00010

4260030258710

\_



#### Adapter plug with switch

- Ideal for all devices without ON/OFF switch, saving standby power costs.
- colour white,
- maximum percentage rate: 3500 watt, 16A, AC 230V
- incl. child protection



Article-No. EAN-Code Qty. inner box Qty. outer box

947 00001 4260030258741 20 100



#### 2+1 Adapter

- 2x Euro-, 1x Schuko-socket
- ideal for all devices which need more than one wall socket
- colour white,
- maximum percentage rate: 3500 watt, 16A, AC 230V
- incl. child protection



Article-No. EAN-Code Qty. inner box Qty. outer box

947 00003 4260030258734 20 100

#### 2+1 Adapter with switch

- 2x Euro-, 1x Schuko-socket with switch
- ideal for all devices which need more than one wall socket
- colour white,
- maximum percentage rate: 3500 watt, 16A, AC 230V
- incl. child protection



Article-No. EAN-Code Qty. inner box Qty. outer box **947 00004 4260030258765 20 100** 





areas

# Adapter Plugs



- 1 Adapter + 2 included ports for USB-devices
- USB-Output: DC 5V, Power: maximum 1000mA
- 16A, 110-230V, 50Hz
- with surge protection
- incl. child protection





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

947 10001

4260030258826

10

60

#### **Adapter with USB**

- 1 Adapter + 2 included input ports for USB-devices
- USB-Output: DC 5V, Power: maximum 2000mA
- 16A, 110-230V, 50Hz
- with surge protection
- incl. child protection



2x 1000mA

Article-No.

EAN-Code

Qty. inner box

Qty. outer box

947 10002


4260030258819

16

32

# Digital Timer

# **Digital Adapter with Timer**



Random function, 12/24-hour switch

Working power: 230V AC, 50HzMaximum resistance load: 7.8 (2)A

- Maximum load: 1800W







Article-No. **947 50001** 

EAN-Code

4260030258802

Qty. inner box

Qty. outer box

12



#### **Rocker Light Switch**

- W13 O120Y rocker light switch for OFF- and toggle switch
- classic Series, polar white
- mounting: flush mounted, protection class: IP20
- 10A AC250V





EAN-Code Article-No. 987 00001

Qty. inner box

10

Qty. outer box

4260030258031

100

#### Series Light Switch with 2 Rockers

- W13 O210Y series light switch with 2 rockers for OFF- and toggle switch
- classic Series, polar white
- mounting: flush mounted, protection class: IP20
- 10A AC250V





Article-No. EAN-Code Qty. inner box Qty. outer box

987 00002 4260030258048 10 100

#### **Schuko-Wall Socket**

- W13 O311 Schuko wall socket
- classic Series, polar white
- mounting: flush mounted, protection class: IP20
- 16A AC250V





EAN-Code Article-No. Qty. inner box Qty. outer box 987 00003 100 4260030258055 10

#### **RJ45 Network Wall Socket**

- W13 OTF/RJ45 socket with frame, Cat. 6
- classic Series, polar white
- mounting: flush mounted, protection class: IP20
- 16A AC250V



EAN-Code Article-No. Qty. inner box Qty. outer box 4260030258062 100 987 00004 10











#### 2-way + 3-way Frame

- W13 O002 + O003 frame
- for light switches and sockets
- classic Series, polar white
- mounting: flush mounted, protection class: IP20





W13 O002

W13 O003

Article-No. EAN-Code Qty. inner box Qty. outer box 987 00005 4260030258079 100 10 EAN-Code Article-No. Qty. inner box Qty. outer box 987 00006 4260030258086 10 100

#### **Rocker Light Switch**

- W13 A120Y rocker light switch for OFF- and toggle switch
- Elegance-Series, polar white
- mounting: flush mounted, protection class: IP20
- 10A/AX AC250V







Article-No. EAN-Code Qty. inner box Qty. outer box 100 987 00007 4260030258093 10

#### Series Light Switch with 2 Rockers

- W13 A210Y series light switch with 2 rockers for OFF- and toggle switch
- Elegance-Series, polar white
- mounting: flush mounted, protection class: IP20
- 10A AC250V







Article-No. EAN-Code Qty. outer box Qty. inner box 987 00008 4260030258109 10 100

# **Rocker Light Switch** with Control Light

- W13 A111Y light switch with control light for OFF- and toggle switch
- Elegance-Series, polar white
- mounting: flush mounted, protection class: IP20
- 10A, AC250V





Article-No. EAN-Code 987 00009

4260030258116 10

Qty. inner box Qty. outer box



#### **Dimmer Switch**

- W13 A142Y dimmer switch
- Elegance-Series, polar white
- 20-400W, AC230V, 50-60Hz





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

987 00010

4260030258123

10

100

# Schuko-Wall Socket

- W13 A311Y Schuko socket
- Elegance-Series, polar white
- mounting: flush mounted, protection class: IP20
- 16A AC250V





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

987 00012

4260030258147

10

100



#### **Motion Sensor**

- W13 A182Y motion sensor with PIR-Sensor
- 90 degrees, 5 meter, 2-1000 lux, adjustable
- Elegance-Series, polar white
- 460W, AC230V 50Hz





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

987 00011

4260030258130

10

100

#### **RJ45 Network Wall Socket**

- W13 OTF/RJ45 socket with frame, Cat. 6
- Elegance-Series, polar white
- mounting: flush mounted, protection class: IP20
- 16A AC250V





Article-No.

EAN-Code

Qty. inner box

Qty. outer box

4260030258154 987 00013

10















#### 2-Way + 3-Way Frame

- W13 Y002 + Y003 2-way + 3-way frames
- for light switches and sockets
- Elegance-Series, polar white
- mounting: flush mounted, protection class: IP20





W13 Y002

W13 Y003

Article-No. 987 00015	EAN-Code 4260030258178	Qty. inner box	Qty. outer box
Article-No. <b>987 00014</b>	EAN-Code <b>4260030258161</b>	Qty. inner box	Qty. outer box

# Rocker Light Switch with Control Light

- W11 A121Y light switch with control light for OFF- and toggle switch
- Outdoor-Series, grey
- mounting: flush mounted, protection class: IP44
- 10A AC250V








Article-No.	EAN-Code	Qty. inner box	Qty. outer box
987 00016	4260030258185	10	100

#### **Schuko Socket**



- Outdoor-Series, grey
- mounting: flush mounted, protection class: IP44
- 16A AC250V








Article-No.	EAN-Code	Qty. inner box	Qty. outer box
987 00017	4260030258192	10	100

# areas



mobile energy & mobile light

# areas



# Mobile energy for every day, for camping and at home

Arcas is the expert in the range of mobile lighting and mobile energy. In its extensive assortment you can find LED torches and headlights, LED working lights and seasonal goods like LED camping lights. Moreover, Arcas provides primary and rechargeable batteries in the form of alkaline and zinc-carbon batteries, lithium ans alkaline button cells as well as rechargeable batteries and chargers.

The choice of products is topped off with sockets, adapter plugs and extension cables. The products are individually applicable in the indoor and outdoor area, particularly convincing is the price-performance ratio as well as a sales-friendly product and packaging design.